Product sheet



LEGRAND

Fault signalling contact DX³ - 6 A 250 V~ - 0.5 module REF. 406252 | EAN. 3245064062527

> Visit e-catalogue

Product charateristics

- Signalling, remote tripping auxiliaries and motorised controls DX³
- Signalling auxiliaries fork busbar adapted To fit on the Left hand side of DX³ and TX³ devices Maximum number of auxiliaries per device : 3 signalling auxiliaries or 2 signalling auxiliaries + 1 remote tripping auxiliary Allow insertion of the supply busbar, top side No tool required for joining together the auxiliary and the maln =evice. No tool required for joining together the auxiliary and the maln =evice. No tool required for joining together the auxiliary and the maln =evice. No tool required for joining together the auxiliary and the maln =evice. No tool required for joining together the auxiliary and the maln =evice. No tool required for joining together the auxiliary and the maln =evice. Auxiliary contact 6 A 250 V~ (changeover switch) For MCBs, RCBos, RCCBs, isolating switch or remote trip isolating switch Indicates the position of the contacts of its associated device Fault signalling contact 6 A 250 V~ (changeover switch) For MCBs, RCBos, RCCBs, Indicates the fault tripping of its associated device Number of modules : 0,5

Documentation

TECHNICAL DOCUMENTATION

- → G3363J.pdf | PDF (3.83Mo)
- **F01548EN-00.pdf** | PDF (0.58Mo)

CAD & Design specs / BIM

6 406252.dwg | DWG (0.2Mo)

CATALOGUE PAGE & OTHERS

ex223001_0073.pdf | PDF (0.08Mo)

Agreements & Certificates

E LGRP-01227-V01.01-EN.pdf | PDF (0.64Mo)